

Safety Data Sheet

according to UK REACH Regulation

Nital 1-5%, alkoholisch

Revision date: 28.03.2022

Product code:

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Nital 1-5%, alkoholisch

UFI: 8006-G6FD-M4RA-G2MT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	Schmitz-Metallographie GmbH	
Street:	Kaiserstraße 100	
Place:	D-52134 Herzogenrath	
Telephone:	02407 / 568296-0	Telefax: 02407 / 568296-9
e-mail:	info@schmitz-metallographie.de	
Contact person:	Herr Füllmann	
e-mail:	info@schmitz-metallographie.de	
Internet:	www.schmitz-metallographie.de	
Responsible Department:	Dr. Gans-Eichler	e-mail: info@tge-consult.de
	Chemieberatung GmbH	Tel.: +49(0)2534 6441185
	Otto-Hahn-Str. 36	www.tge-consult.de
	D-48161 Münster	

1.4. Emergency telephone number:

Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290
Flam. Liq. 2; H225
Skin Corr. 1; H314
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

nitric acid ... %

Signal word: Danger

Pictograms:



Hazard statements

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.

Safety Data Sheet

according to UK REACH Regulation

Nital 1-5%, alkoholisch

Revision date: 28.03.2022

Product code:

Page 2 of 13

Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Special labelling of certain mixtures

- EUH071 Corrosive to the respiratory tract.

2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture.
For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
64-17-5	ethanol, ethyl alcohol			95 - < 100 %
	200-578-6	603-002-00-5		
	Flam. Liq. 2, Eye Irrit. 2; H225 H319			
7697-37-2	nitric acid ... %			3 - < 5 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Acute Tox. 3, Skin Corr. 1A; H272 H331 H314 EUH071			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64-17-5	200-578-6	ethanol, ethyl alcohol	95 - < 100 %
	inhalation: LC50 = 124,7 mg/l (vapours); oral: LD50 = >5000 mg/kg Eye Irrit. 2; H319: >= 50 - 100		
7697-37-2	231-714-2	nitric acid ... %	3 - < 5 %
	inhalation: ATE 2,65 mg/kg (vapours); inhalation: LC50 = 2500 ppm (gases) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20		

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Take off immediately all contaminated clothing.

Safety Data Sheet

according to UK REACH Regulation

Nital 1-5%, alkoholisch

Revision date: 28.03.2022

Product code:

Page 3 of 13

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. Apply cortisone spray at early stage.

After contact with skin

Take off immediately all contaminated clothing. Wash with plenty of water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

acute danger of asphyxia due to spasm or glottis at high doses of nitrous gases by inhalation., Prolonged and repeated inhalation of decomposition products may cause a pulmonary oedema..

4.3. Indication of any immediate medical attention and special treatment needed

Corroded eyes (again) rinse several minutes with Isogutt or water; Thereafter 5-10% ascorbic acid and tolazoline be dropped. Affected skin should be applied after thorough flushing with Dermatocorticoid. after inhalation of acid mists or nitrogen oxides released is indispensable for the immediate topical and parenteral Glucocorticoidapplikation, depending on findings if required intubation or tracheotomy and oxygen ventilator.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂). Dry extinguishing powder. alcohol resistant foam.
In case of major fire and large quantities: Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NO_x).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Remove persons to safety. Provide adequate ventilation.
Do not breathe gas/fumes/vapour/spray.
Wear personal protection equipment. (See section 8.)

For non-emergency personnel

Remove persons to safety. Remove all sources of ignition. Ventilate affected area.
Wear personal protection equipment. (See section 8.)

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Danger of explosion! Cover drains. Prevent spread over a

Safety Data Sheet

according to UK REACH Regulation

Nital 1-5%, alkoholisch

Revision date: 28.03.2022

Product code:

Page 4 of 13

wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Ventilate affected area.

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

Other information

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations.

Wear suitable protective clothing. (See section 8.)

Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges.

Advice on general occupational hygiene

The usual precautions for handling chemicals should be considered.

Always close containers tightly after the removal of product. When using do not eat, drink or smoke. Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse.

Further information on handling

Flammable vapours can accumulate in head space of closed systems.

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep locked up. Keep container tightly closed and in a well-ventilated place. Keep in a cool place.

Unsuitable container/equipment material: Metal

Hints on joint storage

Do not store together with: Gas. Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances and mixtures which, in contact with water, emit flammable gases.

Oxidizing liquids. Oxidizing solids. ammonium nitrate. Self-reactive substances and mixtures. Organic peroxides. Non-combustible toxic substances. Radioactive substances. Infectious substances.

Further information on storage conditions

Store small packages in a suitable, robust cabinet.

Protect against: UV-radiation/sunlight., Heat

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

according to UK REACH Regulation

Nital 1-5%, alkoholisch

Revision date: 28.03.2022

Product code:

Page 5 of 13

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7697-37-2	nitric acid ... %			
	Worker DNEL, long-term	inhalation	local	2,6 mg/m ³
	Consumer DNEL, long-term	inhalation	local	1,3 mg/m ³
	Consumer DNEL, acute	inhalation	local	1,3 mg/m ³

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Recommended eye protection brand: Tightly sealed safety glasses. (BS/EN 166)

Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves.

Suitable material: Butyl rubber.

Thickness of glove material: 0,5 mm

Breakthrough time >= 480 min. Penetration time (maximum wearing period): ~ 120 min. (estimated)

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN ISO 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Wear fire/ flame resistant/retardant clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Exceeding exposure limit values

Insufficient ventilation

Suitable respiratory protective equipment: Combination filtering device (EN 14387) Type AEB-P3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Safety Data Sheet

according to UK REACH Regulation

Nital 1-5%, alkoholisch

Revision date: 28.03.2022

Product code:

Page 6 of 13

Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
 Colour: colourless
 Odour: Alcohol

Changes in the physical state

Melting point/freezing point: not applicable
 Boiling point or initial boiling point and boiling range: not determined
 Flash point: 12 (Ethanol) °C

Explosive properties

In use, may form flammable/explosive vapour-air mixture.

Lower explosion limits: (Ethanol) 3,5 vol. %
 Upper explosion limits: (Ethanol) 15 vol. %
 Auto-ignition temperature: not determined
 Decomposition temperature: not determined
 pH-Value: 0
 Viscosity / dynamic: not determined
 (at 40 °C)
 Viscosity / kinematic: not determined
 (at 20 °C)
 Flow time: not determined
 Water solubility: completely miscible
 (at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: SECTION 12: Ecological information
 Vapour pressure: (Ethanol) 58 hPa
 (at 20 °C)
 Density: not determined
 Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Oxidizing properties
 none.

Other safety characteristics

Solvent separation test: not determined
 Solvent content: not determined
 Solid content: not determined
 Evaporation rate: not determined

Further Information

No information available.

Safety Data Sheet

according to UK REACH Regulation

Nital 1-5%, alkoholisch

Revision date: 28.03.2022

Product code:

Page 7 of 13

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Violent reaction with: Base.

Reacts with : Substances which form flammable gases when in contact with water. Organic peroxides. Inflammatory substances. Alkali metals. Oxidizing agents.

10.4. Conditions to avoid

In case of warming: Ignition hazard.

Keep away from heat.

Keep away from sources of ignition. - No smoking.

10.5. Incompatible materials

Materials to avoid: Hazardous substances that release flammable gases when in contact with water. Organic peroxides. Alkali metals. Oxidizing agents.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NO_x).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicokinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64-17-5	ethanol, ethyl alcohol				
	oral	LD50 >5000 mg/kg	Rat.	ECHA Dossier	
	inhalation (4 h) vapour	LC50 124,7 mg/l	Rat.	ECHA Dossier	
7697-37-2	nitric acid ... %				
	inhalation vapour	ATE 2,65 mg/kg			
	inhalation (4 h) gas	LC50 2500 ppm	Rat	ECHA Dossier	

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

ethanol, ethyl alcohol:

In-vitro mutagenicity: No experimental indications of mutagenicity in-vitro exist.

Reproductive toxicity:

Safety Data Sheet

according to UK REACH Regulation

Nital 1-5%, alkoholisch

Revision date: 28.03.2022

Product code:

Page 8 of 13

Exposure time: 18 weeks
Species: CD-1 Mouse.
Method: OECD Guideline 416
Result: NOAEL = 20700 mg/kg/day
Developmental toxicity/teratogenicity:
Exposure time: 19d
Species: Sprague-Dawley Rat.
Method: OECD Guideline 414
Result: NOAEL = 16000 ppm (maternal toxicity)
Result: NOAEL >= 20000 ppm (teratogenicity)
Literature information: ECHA Dossier
Nitric acid:
No evidence for: Carcinogenicity
No evidence for: Developmental toxicity/teratogenicity (NOEL = 400 ppm)
No evidence for: Reproductive toxicity: (NOEL = 700 ppm)
No evidence for: In-vitro mutagenicity

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

ethanol, ethyl alcohol:

Subchronic oral toxicity

Exposure time: 90d; Species: Sprague-Dawley Rat.

Method: OECD Guideline 408; Result: NOAEL = 1280 mg/kg; Literature information: ECHA Dossier

Nitric acid.:

Subchronic inhalative toxicity NOAEC = 2,15 ppm (Rat) Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

No data available.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64-17-5	ethanol, ethyl alcohol					
	Acute fish toxicity	LC50 14200 mg/l	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50 275 mg/l	72 h	Chlorella vulgaris	ECHA Dossier	
	Acute crustacea toxicity	EC50 5012 mg/l	48 h	Ceriodaphnia dubia	ECHA Dossier	
	Crustacea toxicity	NOEC 9,6 mg/l	9 d	Daphnia magna	ECHA Dossier	
7697-37-2	nitric acid ... %					
	Acute crustacea toxicity	EC50 2.5 mg/l	48 h	Ceriodaphnia spec	ECHA Dossier	

12.2. Persistence and degradability

CAS No	Chemical name				
	Method	Value	d	Source	

Safety Data Sheet

according to UK REACH Regulation

Nital 1-5%, alkoholisch

Revision date: 28.03.2022

Product code:

Page 9 of 13

	Evaluation			
64-17-5	ethanol, ethyl alcohol			
	not determined	84%	20	ECHA Dossier
	Easily biodegradable (concerning to the criteria of the OECD)			

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31
7697-37-2	nitric acid ... %	-0,21

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

12.7. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

110105 WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY; wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising); pickling acids; hazardous waste

List of Wastes Code - used product

110105 WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY; wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising); pickling acids; hazardous waste

List of Wastes Code - contaminated packaging

Safety Data Sheet

according to UK REACH Regulation

Nital 1-5%, alkoholisch

Revision date: 28.03.2022

Product code:

Page 10 of 13

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2924
14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ethanol; ethyl alcohol, Nitric acid)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3+8



Classification code: FC
 Special Provisions: 274
 Limited quantity: 1 L
 Excepted quantity: E2
 Transport category: 2
 Hazard No: 338
 Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2924
14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ethanol; ethyl alcohol, Nitric acid)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3+8



Classification code: FC
 Special Provisions: 274
 Limited quantity: 1 L
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2924
14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ethanol, nitric acid)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3+8



Marine pollutant: NO
 Special Provisions: 274

Safety Data Sheet

according to UK REACH Regulation

Nital 1-5%, alkoholisch

Revision date: 28.03.2022

Product code:

Page 11 of 13

Limited quantity: 1 L
 Excepted quantity: E2
 EmS: F-E, S-C
 Segregation group: 1 - acids

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2924
14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S.
 (ethanol, nitric acid)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3+8



Special Provisions: A3
 Limited quantity Passenger: 0.5 L
 Passenger LQ: Y340
 Excepted quantity: E2
 IATA-packing instructions - Passenger: 352
 IATA-max. quantity - Passenger: 1 L
 IATA-packing instructions - Cargo: 363
 IATA-max. quantity - Cargo: 5 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

See section 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

2010/75/EU (VOC): not determined

2004/42/EC (VOC): not determined

Information according to 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

Additional information

Safety Data Sheet according to UK-REACH Regulation

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

UK REACH Appendix XVII, No (mixture): 3, 40

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

nitric acid ... %

Safety Data Sheet

according to UK REACH Regulation

Nital 1-5%, alkoholisch

Revision date: 28.03.2022

Product code:

Page 12 of 13

SECTION 16: Other information

Changes

Rev. 1,00; Initial release 28.03.2022

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

ECHA: European Chemicals Agency

EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern

TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Flam. Liq. 2; H225	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

- H225 Highly flammable liquid and vapour.
- H272 May intensify fire; oxidiser.
- H290 May be corrosive to metals.

Safety Data Sheet

according to UK REACH Regulation

Nital 1-5%, alkoholisch

Revision date: 28.03.2022

Product code:

Page 13 of 13

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
EUH071	Corrosive to the respiratory tract.

Further Information

Classification according to GHS [UK CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)