

according to Regulation (EC) No 1907/2006

# VariKEM 100, Harz (Komponente A)

Revision date: 22.06.2023

Product code:

Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

VariKEM 100, Harz (Komponente A)

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Polyol component of a 2-component special synthetic resin system for industrial or professional applications

# Uses advised against

Any non-intended use.

# 1.3. Details of the supplier of the safety data sheet

Company name:	Schmitz-Metallographie GmbH	
Street:	Kaiserstraße 100	
Place:	D-52134 Herzogenrath	
Telephone:	02407 / 568296-0	Telefax:02407 / 568296-9
E-mail:	info@schmitz-metallographie.de	
Contact person:	Herr Füllmann	
E-mail:	info@schmitz-metallographie.de	
Internet:	www.schmitz-metallographie.de	
1.4. Emergency telephone	02407 / 568296-0 (Mo-Fr 9:00 - 16:00)	

#### number:

#### Further Information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

**Pictograms:** 



#### Hazard statements

H319

Causes serious eye irritation.

#### **Precautionary statements**

• •	bouutionaly oracomon	
	P264	Wash hands thoroughly after handling.
	P280	Wear eye protection/face protection.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313	If eye irritation persists: Get medical advice/attention.
	1 337 11 313	

# 2.3. Other hazards



#### according to Regulation (EC) No 1907/2006

# VariKEM 100, Harz (Komponente A)

Revision date: 22.06.2023

Product code:

Page 2 of 10

The substances in the mixture (> 0.1%) do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria. This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
25214-63-5	Ethylenediamine, propoxylated		25 - 50 %	
	500-035-6		01-2119471485-32	
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

#### **Further Information**

Product does not contain listed SVHC substances > 0.1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

See sections 2 and 11

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Alcohol resistant foam. Atomized water.

#### Unsuitable extinguishing media

High power water jet.



according to Regulation (EC) No 1907/2006

# VariKEM 100, Harz (Komponente A)

Revision date: 22.06.2023

Product code:

Page 3 of 10

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx)

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Safe handling: see section 7

#### For non-emergency personnel

Wear personal protection equipment (refer to section 8).

#### For emergency responders

No special measures are necessary.

#### 6.2. Environmental precautions

Discharge into the environment must be avoided.

# 6.3. Methods and material for containment and cleaning up

## For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. See section 8.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Always close containers tightly after the removal of product. When using do not eat, drink or smoke. Wash hands before breaks and after work.

#### Further information on handling

General protection and hygiene measures: See section 8.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.



according to Regulation (EC) No 1907/2006

# VariKEM 100, Harz (Komponente A)

Revision date: 22.06.2023

Product code:

Page 4 of 10

Recommended storage temperature: 20 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

# 7.3. Specific end use(s)

See section 1.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Additional advice on limit values

To date, no national critical limit values exist.

#### 8.2. Exposure controls



#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

## Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). EN 166

#### Hand protection

Wear suitable gloves. Suitable material: FKM (fluororubber). - Thickness of glove material: 0,4 mm Breakthrough time >= 8 h Butyl rubber. - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm Breakthrough time >= 8 h PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN 374 derived from it. Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Suitable protective clothing: Lab apron.

## **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-Exceeding exposure limit values

-Insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using



Test method

DIN 53171

DIN 51794

ISO 2811

not determined

not determined

not determined

not determined

not determined

not determined

according to Regulation (EC) No 1907/2006

# VariKEM 100, Harz (Komponente A)

Revision date: 22.06.2023

Product code:

Page 5 of 10

respiratory protection apparatus (BGR 190).

## **Environmental exposure controls**

Do not allow uncontrolled discharge of product into the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and c	
Physical state:	liquid
Colour:	white
Odour:	characteristic
Odour threshold:	not determined
Melting point/freezing point:	not determined
Boiling point or initial boiling point and	> 250 °C
boiling range:	
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 200 °C
Auto-ignition temperature:	325 °C
Decomposition temperature:	not determined
pH-Value (at 11 °C):	11
Viscosity / kinematic:	not determined
Water solubility:	Immiscible
Solubility in other solvents	
not determined	
Dissolution rate:	not relevant
Partition coefficient n-octanol/water:	SECTION 12: Ecological information
Dispersion stability:	not relevant
Vapour pressure:	2 hPa
(at 20 °C)	
Density (at 20 °C):	1,01 g/cm³
Bulk density:	not determined
Relative vapour density:	not determined
Particle characteristics:	not relevant
9.2. Other information	
Information with regard to physical h	nazard classes
Explosive properties	
none	
Sustaining combustion:	Not sustaining combustion
Self-ignition temperature	
Solid:	not relevant
Gas:	not relevant
Oxidizing properties	

Other safety characteristics

none

Evaporation rate: Solvent separation test:

Solvent content:

Sublimation point:

Softening point:

Solid content:



according to Regulation (EC) No 1907/2006

VariKEM 100, Harz (Komponente A)		
evision date: 22.06.2023	Product code:	Page 6 of 10
Pour point:	not determined	
Viscosity / dynamic: (at 25 °C)	65 mPa⋅s ISO 9371	
Flow time:	not determined	
Further Information		

SECTION 10: Stability and reactivity

No information available.

#### 10.1. Reactivity

Re

No information available.

# 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

Refer to chapter 10.5.

#### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

# 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

#### 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx)

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Toxicocinetics, metabolism and distribution

# No data available.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

#### Irritation and corrosivity

## Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available.

#### 11.2. Information on other hazards



according to Regulation (EC) No 1907/2006

# VariKEM 100, Harz (Komponente A)

Revision date: 22.06.2023

Product code:

Page 7 of 10

#### Endocrine disrupting properties

This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### Other information

No data available.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met. The product has not been tested.

#### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

#### 12.7. Other adverse effects

No data available.

#### Further information

Do not allow to enter into surface water or drains.

#### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

#### List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

#### List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste



according to Regulation (EC) No 1907/2006

# VariKEM 100, Harz (Komponente A)

Revision date: 22.06.2023

Product code:

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

Page 8 of 10

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

# Land transport (ADR/RID)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Inland waterways transport (ADN)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

#### Marine transport (IMDG)

14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:

# Air transport (ICAO-TI/IATA-DGR)

#### <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> 14.3. Transport hazard class(es):

14.4. Packing group:

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

## 14.6. Special precautions for user

refer to chapter 6 - 8

#### 14.7. Maritime transport in bulk according to IMO instruments not relevant

not relevant

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

# EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3 2010/75/EU (VOC): not determined 2004/42/EC (VOC): not determined Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III): Additional information Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878) The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. REACH 1907/2006 Appendix XVII, No (mixture): 3

## National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water



according to Regulation (EC) No 1907/2006

# VariKEM 100, Harz (Komponente A)

Revision date: 22.06.2023

Product code:

Page 9 of 10

## 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

## **SECTION 16: Other information**

#### Changes

Rev. 1,0; Initial release: 22.06.2023

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) AGW: Arbeitsplatzgrenzwert CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging of substances and mixtures DNEL: Derived No Effect Level d: day(s) EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European LIst of Notified Chemical Substances ECHA: European Chemicals Agency EWC: European Waste Catalogue IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) h: hour LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect concentration NLP: No-Longer Polymers N/A: not applicable OECD: Organisation for Economic Co-operation and Development PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Regulation Concerning the International Transport of Dangerous Goods by Rail REACH: Registration, Evaluation, Authorisation of Chemicals SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe UN: United Nations VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

#### Relevant H and EUH statements (number and full text)

H319 Causes serious eye irritation.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our



according to Regulation (EC) No 1907/2006

# VariKEM 100, Harz (Komponente A)

Revision date: 22.06.2023

Product code:

Page 10 of 10

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)