

WEM REM Graphit / WEM Bakelit / WEM glasfaser

Revision: 26.01.2026

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

WEM REM Graphit / WEM Bakelit / WEM glasfaser

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Molding material

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: Schmitz-Metallographie GmbH
Street: Kaiserstraße 100
Place: D-52134 Herzogenrath
Telephone: 02407 / 568296-0
E-mail: info@schmitz-metallographie.de
Contact person: Herr Füllmann
E-mail: info@schmitz-metallographie.de
Internet: www.schmitz-metallographie.de

Telefax: 02407 / 568296-9

1.4. Emergency telephone number:

Further Information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

methenamine; hexamethylenetetramine

Signal word: Warning

Pictograms:



Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing and eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container to local/regional/national/international regulations.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

WEM REM Graphit / WEM Bakelit / WEM glasfaser

Revision: 26.01.2026

Page 2 of 13

2.3. Other hazards

The substances in the mixture (> 0.1%) do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This product does not contain a substance (> 0.1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria. This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
100-97-0	methenamine; hexamethylenetetramine			3 - 8 %
	202-905-8	612-101-00-2	01-2119474895-20	
	Flam. Sol. 2, Skin Sens. 1; H228 H317			
108-95-2	phenol; carbolic acid; monohydroxybenzene; phenylalcohol			<1 %
	203-632-7	604-001-00-2	01-2119471329-32	
	Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, STOT RE 2, Aquatic Chronic 2; H341 H331 H311 H301 H314 H373 H411			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
100-97-0	202-905-8	methenamine; hexamethylenetetramine	3 - 8 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 20000 mg/kg		
108-95-2	203-632-7	phenol; carbolic acid; monohydroxybenzene; phenylalcohol	<1 %
	inhalation: ATE = 3 mg/l (vapours); inhalation: LC50 = [>0,9] mg/l (dusts or mists); dermal: LD50 = 660 mg/kg; oral: LD50 = 282 mg/kg Skin Corr. 1B; H314: >= 3 - 100 Skin Irrit. 2; H315: >= 1 - < 3 Eye Irrit. 2; H319: >= 1 - < 3		

Further Information

Product does not contain listed SVHC substances > 0.1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting.

WEM REM Graphit / WEM Bakelit / WEM glasfaser

Revision: 26.01.2026

Page 3 of 13

In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

See sections 2 and 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Alcohol resistant foam. Water fog.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon dioxide (CO2). Carbon monoxide (CO). Nitrogen oxides (NOx).

Formaldehyde

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid dust formation.

Do not breathe dust.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For containment

Take up mechanically.

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear personal protection equipment (refer to section 8).

Safety Data Sheet

according to Regulation (EC) No 1907/2006

WEM REM Graphit / WEM Bakelit / WEM glasfaser

Revision: 26.01.2026

Page 4 of 13

Advice on protection against fire and explosion

Usual measures for fire prevention. Dust clouds may present an explosion hazard.

Advice on general occupational hygiene

Always close containers tightly after the removal of product. When using do not eat, drink or smoke. Wash hands before breaks and after work.

Further information on handling

Avoid generation of dust.

General protection and hygiene measures: refer to section 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 20 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
-	Dusts non-specific, respirable	-	4		TWA (8 h)	
-	Dusts non-specific, total inhalable	-	10		TWA (8 h)	
7782-42-5	Graphite (all forms except fibres) (Respirable Fraction)	-	2		TWA (8 h)	
108-95-2	Phenol	2	8		TWA (8 h)	
		4	16		STEL (15 min)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
108-95-2	Phenol	Phenol	120 mg/g	Creatinine	End of shift

DNEL/DMEL values

CAS No	Substance	DNEL type	Exposure route	Effect	Value
100-97-0	methenamine; hexamethylenetetramine				
	Worker DNEL, long-term		inhalation	systemic	5,6 mg/m³
	Worker DNEL, long-term		dermal	systemic	6,4 mg/kg bw/day
	Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m³
	Consumer DNEL, long-term		dermal	systemic	3,2 mg/kg bw/day
	Consumer DNEL, long-term		oral	systemic	0,8 mg/kg bw/day
108-95-2	phenol; carbolic acid; monohydroxybenzene; phenylalcohol				

Safety Data Sheet

according to Regulation (EC) No 1907/2006

WEM REM Graphit / WEM Bakelit / WEM glasfaser

Revision: 26.01.2026

Page 5 of 13

Worker DNEL, acute	inhalation	local	16 mg/m ³
Worker DNEL, long-term	inhalation	systemic	8 mg/m ³
Worker DNEL, acute	inhalation	systemic	16 mg/m ³
Worker DNEL, long-term	dermal	systemic	1,23 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	1,32 mg/m ³
Consumer DNEL, long-term	dermal	systemic	0,4 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,4 mg/kg bw/day

PNEC values

CAS No	Substance		
	Environmental compartment		Value
100-97-0	methenamine; hexamethylenetetramine		
	Freshwater		3 mg/l
	Freshwater (intermittent releases)		30 mg/l
	Marine water		0,3 mg/l
	Freshwater sediment		10,2 mg/kg
	Marine sediment		1,02 mg/kg
	Micro-organisms in sewage treatment plants (STP)		100 mg/l
	Soil		0,28 mg/kg
108-95-2	phenol; carbolic acid; monohydroxybenzene; phenylalcohol		
	Freshwater		0,008 mg/l
	Freshwater (intermittent releases)		0,031 mg/l
	Marine water		0,001 mg/l
	Freshwater sediment		0,091 mg/kg
	Marine sediment		0,009 mg/kg
	Micro-organisms in sewage treatment plants (STP)		2,1 mg/l
	Soil		0,136 mg/kg

8.2. Exposure controls



Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Dust must be exhausted directly at the point of origin.

Individual protection measures, such as personal protective equipment

Eye/face protection

Dust protection goggles.

Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

Safety Data Sheet

according to Regulation (EC) No 1907/2006

WEM REM Graphit / WEM Bakelit / WEM glasfaser

Revision: 26.01.2026

Page 6 of 13

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-Exceeding exposure limit values

-Generation/formation of dust

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). type: P2

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Thermal hazards

Material handled at elevated temperature may cause thermal burns by contact with molten product.

Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	various
Odour:	odourless
Odour threshold:	not determined
Melting point/freezing point:	>100 °C
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	not determined
Lower explosion limits:	not relevant
Upper explosion limits:	not relevant
Flash point:	not relevant
Auto-ignition temperature:	>450 °C
Decomposition temperature:	not relevant
pH-Value:	not determined
Viscosity / kinematic:	not relevant
Water solubility:	insoluble
Solubility in other solvents	
not determined	
Dissolution rate:	not relevant
Partition coefficient n-octanol/water:	not relevant
Dispersion stability:	not relevant
Vapour pressure:	not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

WEM REM Graphit / WEM Bakelit / WEM glasfaser

Revision: 26.01.2026

Page 7 of 13

Density (at 20 °C):	1,9 - 2,1 g/cm ³
Bulk density:	500-800 kg/m ³
Relative vapour density:	not relevant
Particle characteristics:	not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Dust clouds may present an explosion hazard.

Sustained combustibility:

No sustained combustibility

Self-ignition temperature

Solid:

not determined

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

not determined

Solvent separation test:

not determined

Solvent content:

not determined

Sublimation point:

not relevant

Softening point:

not relevant

Pour point:

not relevant

Viscosity / dynamic:

not relevant

Flow time:

not relevant

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Refer to section 10.5.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon dioxide (CO₂). Carbon monoxide (CO). Nitrogen oxides (NO_x).

Formaldehyde

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

WEM REM Graphit / WEM Bakelit / WEM glasfaser

Revision: 26.01.2026

Page 8 of 13

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine				
	oral	LD50 mg/kg	> 20000 Rat	Food Cosmet. Toxicol. 3, 362-363 (1966)	
	dermal	LD50 mg/kg	> 2000 Rat	ECHA Dossier	OECD Guideline 402
108-95-2	phenol; carbolic acid; monohydroxybenzene; phenylalcohol				
	oral	LD50 mg/kg	282 Mouse.	Horikawa 1975	
	dermal	LD50 mg/kg	660 Rat	ECHA Dossier	OECD Guideline 402
	inhalation vapour	ATE	3 mg/l		
	inhalation (4 h) dust/mist	LC50 mg/l	[>0,9] Rat	ECHA Dossier	OECD Guideline 403

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (methenamine; hexamethylenetetramine)

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No data available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method

Safety Data Sheet

according to Regulation (EC) No 1907/2006

WEM REM Graphit / WEM Bakelit / WEM glasfaser

Revision: 26.01.2026

Page 9 of 13

100-97-0	methenamine; hexamethylenetetramine					
	Acute fish toxicity	LC50 mg/l	41000 96 h	Lepomis macrochirus	ECHA Dossier	U.S. EPA, 1975: Methods for Acute Toxic
	Acute crustacea toxicity	EC50 mg/l	36000 48 h	Daphnia magna	ECHA Dossier	
	Algae toxicity	NOEC mg/l	1500 14 d	Raphidocelis subcapitata (formerly known as Selenastrum capricornutum and Pseudokirchneriella subcapitata)	ECHA Dossier	US EPA
	Acute bacteria toxicity	EC50 mg/l ()	> 5000 0,5 h	Vibrio fisheri	ECHA Dossier	DIN 38412-8
108-95-2	phenol; carbolic acid; monohydroxybenzene; phenylalcohol					
	Acute fish toxicity	LC50 mg/l	21,93 96 h	Poecilia reticulata	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	61,1 96 h	Pseudokirchneriella subcapitata	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	3,1 mg/l 48 h	Ceriodaphnia dubia	ECHA Dossier	
	Fish toxicity	NOEC mg/l	0,077 60 d	Cirrhina mrigala	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	4,13 21 d	Daphnia magna	T. Tisler, J. Zagorc-Koncan	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
108-95-2	phenol; carbolic acid; monohydroxybenzene; phenylalcohol	OECD Guideline 301 C	62	5	ECHA Dossier
		Easily biodegradable (concerning to the criteria of the OECD)			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
100-97-0	methenamine; hexamethylenetetramine	-4,15
108-95-2	phenol; carbolic acid; monohydroxybenzene; phenylalcohol	1,47

BCF

CAS No	Chemical name	BCF	Species	Source
108-95-2	phenol; carbolic acid; monohydroxybenzene; phenylalcohol	17,5	Danio rerio	ECHA Dossier

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

WEM REM Graphit / WEM Bakelit / WEM glasfaser

Revision: 26.01.2026

Page 10 of 13

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

WEM REM Graphit / WEM Bakelit / WEM glasfaser

Revision: 26.01.2026

Page 11 of 13

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

refer to section 6 - 8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: not determined

Directive 2004/42/EC on VOC in paints and varnishes: not determined

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): -

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

phenol; carbolic acid; monohydroxybenzene; phenylalcohol

SECTION 16: Other information

Changes

Rev. 1,0; Initial release 27.06.2023

Rev. 2,0; Changes in section: 2,9,16; 26.01.2026

Abbreviations and acronyms

Flam. Sol. 2: Flammable solids, hazard category 2

Acute Tox. 3: Acute toxicity, hazard category 3

Skin Corr. 1B: Skin corrosion, sub-category 1B

Skin Sens. 1: Skin sensitisation, hazard category 1

Muta. 2: Germ cell mutagenicity, hazard category 2

STOT RE 2: Specific target organ toxicity - repeated exposure, hazard category 2

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard category: Chronic 2

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

WEM REM Graphit / WEM Bakelit / WEM glasfaser

Revision: 26.01.2026

Page 12 of 13

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

ECHA: European Chemicals Agency

EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern

TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds

WGK: Water Hazard Class (Germany)

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

Relevant H and EUH statements (number and full text)

H228	Flammable solid.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of

Safety Data Sheet

according to Regulation (EC) No 1907/2006

WEM REM Graphit / WEM Bakelit / WEM glasfaser

Revision: 26.01.2026

Page 13 of 13

processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)